UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/045,996	10/18/2001	Dorothea Kuettner	10011035	1545

7590   09/19/2007

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P.O. Box 272400
Fort Collins, CO 80527-2400

EXAMINER
BOYCE, ANDRE D

ART UNIT	PAPER NUMBER
3623	

MAIL DATE	DELIVERY MODE
09/19/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>06 July 2007</u>.

2a)☐ This action is **FINAL**. 2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-20* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-20* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1.   A request for continued examination under 37 CFR 1.114, including the fee set

forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this

application is eligible for continued examination under 37 CFR 1.114, and the fee set

forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action

has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July

6, 2007 has been entered.

2.   Claims 1, 8 and 15 have been amended. Claims 1-20 are pending.

Claim Rejections - 35 USC § 103

3.   The text of those sections of Title 35, U.S. Code not included in this action can

be found in a prior Office action.

4.   Claims 1-7 and 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Adler (US 2002/0169658), in view of Lindell (USPN 6,622,056).

As per claim 1, Adler discloses a system for supply chain alternative scenario

analysis (i.e., strategy model and analysis tool, including a spreadsheet

application that apply predefined macros, ¶ 0033) comprising a computer

system, said computer system further comprising: a) a spreadsheet application

having a macro programming capability (i.e., strategy model and analysis tool,

including a spreadsheet application that apply predefined macros, ¶ 0033); b) a

supply chain model builder (i.e., strategy model and analysis tool, including a

spreadsheet application that apply predefined macros, ¶ 0033); c) a supply

chain model automatically generated by said supply chain model builder using input

from said spreadsheet application, wherein said supply chain model has desired

capabilities (i.e., strategy model and analysis tool, including a spreadsheet

application that apply predefined macros, ¶ 0033); and d) at least one supply

chain scenario (plurality of scenarios 12, ¶ 0073).

Adler does not explicitly disclose an internode transit time table having

internal demand nodes and terminal demand nodes. Lindell discloses the path

from the point of origin to the point of consumption of goods in a supply chain

comprising several nodes, including wholesalers 3 delivering to distributors 4,

which deliver products to other distributors 4 or shops 5 (figure 1 and column

3, lines 37-45).

Neither Adler nor Lindell disclose wherein the internode transit time table is

configured to have statistical transit time data associated with transit time between

nodes entered into the transit time table and wherein the transit time statistical data

consists of mean and standard deviation values for the transit time by at least one of

air, ground or sea, however statistical data consisting of mean and standard

deviation values is old and well known in the mathematics and statistical arts.

Both Adler and Lindell are concerned with analyzing and modeling control of

products in a supply network, therefore it would have been obvious to one having

ordinary skill in the art at the time the invention was made to include an internode

transit time table having internal demand nodes and terminal demand nodes, as

seen in Lindell, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17), making

the Adler system more robust and flexible.

As per claim 2, Adler does not disclose said nodes are classified as parts

sources, internal demand nodes and terminal demand nodes. Lindell

discloses the path from the point of origin to the point of consumption of goods

in a supply chain comprising several nodes, including producers, wholesalers,

and distributors (figure 1 and column 3, lines 37-42). Further, Lindell discloses

a supplier means 31, connected to a customer means 32, connected to a

customer's customer means 33 (column 4, lines 3-7). Both Adler and Lindell

are concerned with analyzing and modeling control of products in a supply

network, therefore it would have been obvious to one having ordinary skill in

the art at the time the invention was made to include nodes classified as parts

sources, internal demand nodes and terminal demand nodes in Adler, as seen

in Lindell, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17),

making the Adler system more robust and flexible.

As per claim 3, Adler discloses said objects flowing through the supply

chain are classified as products, product forms and parts (i.e., non-

autonomous objects, including products and services, ¶ 0073).

As per claim 4, Adler discloses said supply chain scenario is designed using an interactive symbolic visual interface (i.e., GUI enabling users to control and monitor the system, ¶ 0085).

As per claim 5, Adler discloses said interactive symbolic visual interface comprises interactive node icons and interactive connection element icons (i.e., pixel icon representing buyer, seller, trader in display window, table 9).

As per claim 6, Adler does not disclose said interactive node icons represent parts sources, internal demand nodes and terminal demand nodes. Lindell discloses the path from the point of origin to the point of consumption of goods in a supply chain comprising several nodes, including producers, wholesalers, and distributors (figure 1 and column 3, lines 37-42). Further, Lindell discloses a supplier means 31, connected to a customer means 32, connected to a customer's customer means 33 (column 4, lines 3-7). Both Adler and Lindell are concerned with analyzing and modeling control of products in a supply network, therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to include nodes classified as parts sources, internal demand nodes and terminal demand nodes in Adler, as seen in Lindell, thus allowing the network to be applicable to supply chains of arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17), making the Adler system more robust and flexible.

As per claim 7, Adler discloses more than one supply chain (i.e., allowing businesses to adopt different roles with respect to trade items in different marketplaces, ¶ 0037).

As per claim 15, Adler discloses performing alternative supply chain analysis (i.e., strategy model and analysis tool, including a spreadsheet application that apply predefined macros, ¶ 0033) comprising: b) classifying and naming objects flowing through said supply chain (i.e., modeling environment specifies the information in terms of object model, comprising object classes, ¶ 0082); c) building a supply chain model (i.e., modeling industrial markets in terms of businesses broken down into buyer, seller, and trade categories, ¶ 0077) wherein said supply chain model is automatically built to have desired capabilities (i.e., an integrated set of dedicated strategy modeling and analysis including loading the models and scenarios into an application engine that dynamically simulates the behavior of the market, ¶ 0033); d) inputting data to said supply chain model to enable designing at least one supply chain scenario (i.e., sliders and windows that enable users to specify the domain, ¶ 0086 and plurality of scenarios 12, ¶ 0073), and e) using said supply chain model for said designing of said at least one supply chain scenario (i.e., plurality of scenarios 12, ¶ 0073).

Adler does not explicitly disclose classifying and naming nodes in a supply chain and building a supply chain model using said classifications and said names of said nodes and said objects. Lindell discloses the path from the

point of origin to the point of consumption of goods in a supply chain

comprising several nodes, including producers, wholesalers, and distributors

(figure 1 and column 3, lines 37-42).

In addition, Adler does not explicitly disclose an internode transit time table

having internal demand nodes and terminal demand nodes. Lindell discloses

the path from the point of origin to the point of consumption of goods in a

supply chain comprising several nodes, including wholesalers 3 delivering to

distributors 4, which deliver products to other distributors 4 or shops 5 (figure

1 and column 3, lines 37-45).

Neither Adler nor Lindell disclose wherein the internode transit time table is

configured to have statistical transit time data associated with transit time between

nodes entered into the transit time table and wherein the transit time statistical data

consists of mean and standard deviation values for the transit time by at least one of

air, ground or sea, however statistical data consisting of mean and standard

deviation values is old and well known in the mathematics and statistical arts.

Both Adler and Lindell are concerned with analyzing and modeling control of

products in a supply network, therefore it would have been obvious to one having

ordinary skill in the art at the time the invention was made to include an internode

transit time table having internal demand nodes and terminal demand nodes, as

seen in Lindell, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17), making

the Adler system more robust and flexible.

Claims 16-20 are rejected based upon the same rationale as the rejection

of claims 2-6, respectively, since they are the computer readable medium

claims corresponding to the system claims.

5.   Claims 8-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Adler (US 2002/0169658), in view of Lindell (USPN 6,622,056), in further view of

Starr et al (USPN 6,947,905).

As per claim 8, Adler discloses a method for performing alternative supply

chain analysis (i.e., strategy model and analysis tool, including a spreadsheet

application that apply predefined macros, ¶ 0033) comprising the steps of: b)

classifying and naming objects flowing through said supply chain (i.e.,

modeling environment specifies the information in terms of object model,

comprising object classes, ¶ 0082); c) building a supply chain model (i.e.,

modeling industrial markets in terms of businesses broken down into buyer,

seller, and trade categories, ¶ 0077) wherein said supply chain model is

automatically built to have desired capabilities (i.e., an integrated set of

dedicated strategy modeling and analysis including loading the models and

scenarios into an application engine that dynamically simulates the behavior of

the market, ¶ 0033); d) inputting data to said supply chain model to enable

designing at least one supply chain scenario (i.e., sliders and windows that

enable users to specify the domain, ¶ 0086 and plurality of scenarios 12, ¶

0073), and e) using said supply chain model for said designing of said at least one supply chain scenario (i.e., plurality of scenarios 12, ¶ 0073).

Adler does not explicitly disclose classifying and naming nodes in a supply chain and building a supply chain model using said classifications and said names of said nodes and said objects. Lindell discloses the path from the point of origin to the point of consumption of goods in a supply chain comprising several nodes, including producers, wholesalers, and distributors (figure 1 and column 3, lines 37-42).

Neither Adler nor Lindell explicitly disclose f) a mean demand table configured to allow a user to enter mean and standard deviation values for a demand for each product, wherein the entered values correspond to a boundary condition for the supply chain analysis, g) a bill of materials table for parts, wherein a required number of parts for each product is entered by a user into the bill of materials table for translating the demand of the product into a parts demand; and h) a materials for product table configured to track product forms and intermediate assemblies of products, wherein a part transforms a product from one form to another so that a part is associated with the product table that results from its incorporation.

Starr et al disclose f) a mean demand table configured to allow a user to enter mean and standard deviation values for a demand for each product, wherein the entered values correspond to a boundary condition for the supply chain analysis (i.e., constraints including demand and contractual demand

fulfillment requirements, and order commitments, column 3, lines 43-50,

wherein these constraints determine the boundary conditions); g) a bill of

materials table for parts, wherein a required number of parts for each product

is entered by a user into the bill of materials table for translating the demand

of the product into a parts demand (i.e., enterprise model 24 that represents a

supply chain in terms of its products and their components, column 3, lines 4-

12, wherein interface 28 provides a user interface for inputting data affecting

model 24, column 4, lines 5-7); and h) a materials for product table configured

to track product forms and intermediate assemblies of products, wherein a part

transforms a product from one form to another so that a part is associated with

the product table that results from its incorporation (i.e., interface 28 used for

viewing planning information generated by planning engine 26 and generating

supply chain reports, column 4, lines 4-10). Neither Adler, Lindell, nor Starr

et al explicitly disclose a standard deviation table, however standard deviation

to a mean value is old and well known in the mathematics and statistics arts.

Adler, Lindell and Starr et al are concerned with analyzing and modeling

control of products in a supply network, therefore it would have been obvious

to one having ordinary skill in the art at the time the invention was made to

include classifying and naming nodes and f) a mean demand table configured

to allow a user to enter mean and standard deviation values for a demand for

each product, wherein the entered values correspond to a boundary condition

for the supply chain analysis, g) a bill of materials table for parts, wherein a

required number of parts for each product is entered by a user into the bill of

materials table for translating the demand of the product into a parts demand;

and h) a materials for product table configured to track product forms and

intermediate assemblies of products, wherein a part transforms a product from

one form to another so that a part is associated with the product table that

results from its incorporation in Adler, as seen in Lindell and Starr et al,

respectively, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17) and

allowing the scenario planning process in Adler to simulate and evaluate

proposed plans, as disclosed in Starr et al (column 3, lines 65-67) making the

Adler system more robust and flexible.

As per claim 9, Adler does not disclose said nodes are classified as parts

sources, internal demand nodes and terminal demand nodes. Lindell

discloses the path from the point of origin to the point of consumption of goods

in a supply chain comprising several nodes, including producers, wholesalers,

and distributors (figure 1 and column 3, lines 37-42). Further, Lindell discloses

a supplier means 31, connected to a customer means 32, connected to a

customer's customer means 33 (column 4, lines 3-7). Both Adler and Lindell

are concerned with analyzing and modeling control of products in a supply

network, therefore it would have been obvious to one having ordinary skill in

the art at the time the invention was made to include nodes classified as parts

sources, internal demand nodes and terminal demand nodes in Adler, as seen

in Lindell, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17),

making the Adler system more robust and flexible.

As per claim 10, Adler discloses said objects flowing through the supply

chain are classified as products, product forms and parts (i.e., non-

autonomous objects, including products and services, ¶ 0073).

As per claim 11, Adler discloses said supply chain scenario is designed

using an interactive symbolic visual interface (i.e., GUI enabling users to

control and monitor the system, ¶ 0085).

As per claim 12, Adler discloses said interactive symbolic visual interface

comprises interactive node icons and interactive connection element icons (i.e., pixel

icon representing buyer, seller, trader in display window, table 9).

As per claim 13, Adler does not disclose said interactive node icons represent

parts sources, internal demand nodes and terminal demand nodes. Lindell

discloses the path from the point of origin to the point of consumption of goods

in a supply chain comprising several nodes, including producers, wholesalers,

and distributors (figure 1 and column 3, lines 37-42). Further, Lindell discloses

a supplier means 31, connected to a customer means 32, connected to a

customer's customer means 33 (column 4, lines 3-7). Both Adler and Lindell

are concerned with analyzing and modeling control of products in a supply

network, therefore it would have been obvious to one having ordinary skill in

the art at the time the invention was made to include nodes classified as parts

sources, internal demand nodes and terminal demand nodes in Adler, as seen

in Lindell, thus allowing the network to be applicable to supply chains of

arbitrary length and levels, as disclosed in Lindell (column 4, lines 15-17),

making the Adler system more robust and flexible.

As per claim 14, Adler discloses the scenario properties are altered using a

visual display-pointing device in association with the icons (i.e., GUI is used to select

the domain model, scenario and decision option to be loaded into the system, ¶

0092).

Response to Arguments

6.   In the Remarks, Applicant argues that the combined references do not disclose,

teach or suggest all the elements of newly amended claims 1, 8 and 15. The

Examiner respectfully disagrees and submits that the combination of Adler, Lindell,

and Starr et al indeed disclose the claimed limitations.

Conclusion

7.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Andre Boyce whose telephone number is (571) 272-

6726. The examiner can normally be reached on 9:30-6pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Tariq Hafiz can be reached on (571) 272-6729. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

adb
September 14, 2007

ANDRE BOYCE
PATENT EXAMINER
A.U. 3623